

5. The method of claim 1 wherein the first type comprises server side code.

6. The method of claim 1 additionally comprising, responsive to the object having a second type, providing a second set of information comprising information related to the object and a third identifier embedded in said
5 information.

7. The method of claim 6 wherein:

the information related to the object comprises a tag;
and

the third identifier comprises an attribute of the
5 tag.

8. The method of claim 6 wherein the second type comprises objects not entirely server side code.

9. A method of associating information received from a server with a first at least one object, comprising:

locating a pair of first identifiers in the information received from the server; and

5 associating information between the pair of first identifiers located with a second at least one object corresponding to the pair of first identifiers.

locating a second identifier in the information
received from the server; and

associating information corresponding to the second
5 identifier located with a third at least one object
corresponding to the second identifier.

16. The method of claim 15 wherein:

the second identifier comprises a third object
identifier;

the third at least one object comprises a fourth
5 object identifier; and

the associating information corresponding to the
second identifier step comprises matching the third object
identifier to the fourth object identifier.

17. The method of claim 16 wherein the information
corresponding to the second identifier comprises
information surrounding the second identifier.

18. The method of claim 16 wherein:

the information corresponding to the second identifier
comprises a tag; and

the second identifier comprises an attribute of the
5 tag.

19. A computer program product comprising a computer useable medium having computer readable program code embodied therein for building a set of information, the computer program product comprising computer readable code
5 devices configured to cause a computer to:

receive a plurality of objects having one of a plurality of types; and

for each of the plurality of objects:

responsive to the object having a first type,
10 provide a first set of information comprising:
a first identifier;
information related to the object, following the first identifier; and
a second identifier, following the information related
15 to the object.

20. The computer program product of claim 19 wherein the first identifier and the second identifier comprise identifiers that will be returned unchanged by a processing system.

21. The computer program product of claim 20 wherein the first identifier and the second identifier comprise tags.

22. The computer program product of claim 21, wherein each of the tags comprises a location identifier unique from the other tags corresponding to one selected from the first identifier and the second identifier.

23. The computer program product of claim 19 wherein the first type comprises server side code.

24. The computer program product of claim 19 additionally comprising computer readable code devices configured to cause a computer to, responsive to the object having a second type, provide a second set of information
5 comprising information related to the object and a third identifier embedded in said information.

25. The computer program product of claim 23 wherein:
the information related to the object comprises a tag;
and
the third identifier comprises an attribute of the
5 tag.

26. The computer program product of claim 24 wherein the second type comprises objects not entirely server side code.

27. A computer program product comprising a computer useable medium having computer readable program code

embodied therein for associating information received from
a server with a first at least one object, the computer
5 program product comprising computer readable program code
devices configured to cause a computer to:

locate a pair of first identifiers in the information
received from the server; and

associate information between the pair of first
10 identifiers located with a second at least one object
corresponding to the pair of first identifiers.

28. The computer program product of claim 27 wherein
the first at least one object is the second at least one
object.

29. The computer program product of claim 28 wherein:
each of the pair of first identifiers comprises a
first object identifier;

each of the second at least one objects has at least
5 one second object identifier; and

the computer readable program code devices configured
to cause a computer to associate comprise computer readable
program code devices configured to cause a computer to
match each of the first object identifier with a third at
10 least one of the at least one second object.

30. The computer program product of claim 27 wherein the pair of first identifiers comprises a first first identifier having a first type and a second first identifier having a second type.

31. The computer program product of claim 30 wherein the first first identifier comprises an even number and the second first identifier comprises an odd number, greater than the even number of the first first identifier.

32. The computer program product of claim 31 wherein the second at least one objects comprise server side code.

33. The computer program product of claim 27 additionally comprising computer readable program code devices configured to cause a computer to:

locate a second identifier in the information received
5 from the server; and

associate information corresponding to the second identifier located with a third at least one object corresponding to the second identifier.

34. The computer program product of claim 33 wherein:
the second identifier comprises a third object identifier;

